



## POINT SOFAS

POINT office sofa consists of individual sofa modules made of durable and comfortable materials that can be combined to create countless sofa combinations.

### TECHNICAL INFORMATION

The office sofa modules are available with both low and high backrests and the seating measurements support healthy working positions. Connectors included.

### MATERIAL DESCRIPTION


Plywood base and frame.  
Polyurethane foam.  
Fabric upholstery.  
Base color painted grey.

### OPTIONS

Integrated electrical sockets with the power cord length 5 m.  
POINT sofas are available with lockable wheels.


### MEASUREMENTS

POINT:	W500/700/1000 x D700 x H920/1420 mm
POINT STOOL:	W500/700 x D700 x H470 mm
POINT CORNER:	W700 x D700 x H920/1420 mm
POINT CURVE IN:	W1020 x D700 x H920/1420 mm
POINT CURVE OUT:	W1020 x D700 x H920/1420 mm
POINT OUTER CORNER, Left/Right:	W1100 x D700 x H920/1420 mm
Seat height:	470 mm
Seat height with wheels:	480 mm







**POINT SOFAS - COMBINING EXAMPLES**




CURVE IN x 4




CURVE OUT x 6




OUTER CORNER x 4




OUTER CORNER x 4  
LONG x 2




MEDIUM x 1  
LONG x 2  
STOOL x 1



CORNER x 2  
SMALL x 2



CORNER x 3  
SMALL x 2



CURVE IN x 2  
CURVE OUT x 2  
MEDIUM x 2



All our materials comply with M1 emission classification.

**UPHOLSTERY FABRIC: MAIN LINE FLAX FROM CAMIRA | STANDARD PRICE, CATEGORY 1**

Composition: 70% Virgin wool, 30% Flax  
 Durability: 50.000 Martindale  
 Lightfastness: 5  
 Crocking: 3/wet, 4/dry  
 Sustainability: Complies with EU ecolabel "The Flower", Compostable  
 Cleaning: Vacuuming and dry cleaning  
 Fire resistant: Yes



**UPHOLSTERY FABRIC: PYTON FROM DELFOS FR | CATEGORY 2**

Synthetic leather  
 Composition: 77% PVC, 23% CO  
 Abrasion / Martindale: dry = 51.200 /cycles, wet = 12.800 /cycles  
 Lightfastness: 5  
 Crocking: 4-5  
 Breathable  
 Fire resistant: Yes / Flame retardant, IMO Certificate

*Cleaning:*  
 Because of its characteristics, clean and care the material frequently, with lukewarm water and a damp cloth, preferably of micro fibre. Soiling may be treated with a mild soap and proceed next to its drying by using a hairdryer or, failing that, a drycloth. It should be avoided that areas that have been treated for cleaning remain wet



0796 Negro 1112 Smoke 0793 Mocca 1168 Cashmere



**UPHOLSTERY FABRIC: SYNERGY FROM CAMIRA | CATEGORY 2**

Composition: 95% Virgin wool, 5% Polyamide  
 Durability: 100.000 Martindale  
 Pilling: 4  
 Lightfastness: 5  
 Cleaning: vacuuming and dry cleaning  
 - Fire resistant: Yes



LDS08 LDS16 LDS17 LDS48 LDS56 LDS59 LDS87



**UPHOLSTERY FABRIC: GRAIN/2288 FROM GABRIEL | PRICE CATEGORY 2**

Composition: 80% post-consumer recycled polyester / 20% polyester  
 Durability: 100.000 Martindale  
 Pilling: 5  
 Light fastness: 5-7  
 Cleaning: wash or dry cleaning  
 Fire resistant: Yes



61247 62123 64251 66233 68258 60323

