



POINT CUP office booth is a sound-friendly 360-degree furniture solution that offers a comfortable space for presentations and video conferences.



## **TECHNICAL INFORMATION**

SOCKETS One electrical socket on the table + 3 sockets in the screen wall.

SCREEN Screen wall is suitable for 20-42" screen.

Screen wall does not include screen nor bracket for it.

ELECTRICITY CONNECTION The length of the electric cord for the POINT CUP solution is 3 m.

MATERIAL DESCRIPTION Office booth sofa modules with plywood frame, polyurethane foam and fabric upholstery.

Table with structural paint top and powder-coated steel base.


Base board painted MDF.


Screen wall painted MDF and felt from the back.

**OPTIONS** Tabletop with laminate.

MEASUREMENTS W2450 x D2350 x H1420 mm

TOP CUP table Ø900 / H720 mm







#### UPHOLSTERY FABRIC FOR POINT CUP: MAIN LINE FLAX FROM CAMIRA | STANDARD PRICE, CATEGORY 1

Composition: 70% Virgin wool, 30% Flax


Durability: 50.000 Martindale

Lightfastness: 5 Crocking: 3/wet, 4/dry

Sustainability: Complies with EU ecolabel "The Flower", Compostable

Cleaning: Vacuuming and dry cleaning

Fire resistant: Yes

















### UPHOLSTERY FABRIC FOR POINT CUP: PYTON FROM DELFOS FR | CATEGORY 2

Synthetic leather

Composition: 77% PVC, 23% CO

Abrasion / Martindale: dry = 51.200 /cycles, wet = 12.800 /cycles

Lightfastness: 5 Crocking: 4-5 Breathable

Fire resistant: Yes / Flame retardant, IMO Certificate



0796 Negro 1112 Smoke







0793 Mocca 1168 Cashmere

Cleaning: Because of its characteristics, clean and care the material frequently, with lukewarm water and a damp cloth, preferably of micro fibre. Soiling may be treated with a mild soap and proceed next to its drying by using a hairdryer or, failing that, a drymcloth. It should be avoided that areas that have been treated for cleaning remain wet



breathable and flame

retardant quality











UPHOLSTERY FABRIC FOR POINT CUP: SYNERGY FROM CAMIRA | CATEGORY 2

Composition: 95% Virgin wool, 5% Polyamide

Durability: 100.000 Martindale

Pilling: 4

Lightfastness: 5

Cleaning: vacuuming and dry cleaning

Fire resistant: Yes



















#### UPHOLSTERY FABRIC FOR POINT CUP: GRAIN/2288 FROM GABRIEL | PRICE CATEGORY 2

Composition: 80% post-consumer recycled polyester / 20% polyester

Durability: 100.000 Martindale

Pilling: 5

Light fastness: 5-7

Cleaning: wash or dry cleaning

Fire resistant: Yes




















# **COLOR OPTIONS FOR POINT CUP TABLE**

STANDARD PRICE, CATEGORY 1	PRICE CATEGORY 2
NCS S 0500-N Structural	White laminate
STEEL TUBE BASE   STANDARD PRICE, CATEGORY 1	

# FELT FOR POINT CUP SCREEN WALL: FULDA MENT 60 FROM FILZFABRIK | STANDARD PRICE, CATEGORY 1

- Composition: 40% Polyamid, 60% Polypropylen
- Static electrical propensity: Antistatic
- Classification for use: Commercial / heavy use
- Fire resistant: Yes

**RAL 9016** 



# SCREEN WALL COLOR | STANDARD PRICE, CATEGORY 1



Smooth

# BASEBOARD COLOR | STANDARD PRICE, CATEGORY 1



NCS S 0500-N Structural