

POD 1

POD 1 is a quiet workspace for 1-2 people, designed for tasks that require focus and for private phone calls.




TECHNICAL INFORMATION

| | |
|--------------------|---|
| AIR FLOW | Fully automated ventilation controlled by motion sensor that is adjustable up to 99 minutes. Switch for ventilation. Airflow rate of 22 l/s when occupied. |
| LIGHTING | Fully automated lights controlled by motion sensor that is adjustable up to 99 minutes. Switch for lights. 2 x LED light set on the ceiling. A window lamp. Lumen 1742. |
| WHEELS | Installation wheels included. |
| ENERGY CONSUMPTION | Total capacity 40,45 W. Fans capacity 4,45 W. Lights capacity 36 W. Max load 8 A. |
| SOCKET | 3 x power sockets + 1 x data outlet included. |
| POWER CONNECTION | POD electricity connection from the ceiling or floor. The length of the power cord is 3 m. |

MEASUREMENTS

| | |
|---------------------|--------------------------------|
| EXTERNAL DIMENSIONS | W1700 x D1700 x H2220 mm |
| DOOR | 9 x 21 |
| INNER DIMENSIONS | W1500 x D1300 x H2040 mm |
| PACKAGE DIMENSIONS | W1200 x D2400 x H1500 mm |
| WEIGHT | 690 kg 239kg/m ² |

MEASUREMENTS



MATERIAL DESCRIPTION

| | |
|----------|---|
| EXTERIOR | Melamine or veneered frame. |
| INTERIOR | Acoustic panel on the ceiling. Back wall and floor coated with carpet. |
| DOOR | Painted MDF door. Melamine door side panels. Door handle with satin finished stainless steel. |
| WINDOW | Laminated acoustic safety glass window 10 mm. Glass window includes the INTO stripe window taping. |



ADD-ON FEATURES

POD PANEL

POD PANEL is an acoustic-friendly add-on piece for POD rooms. It can be used as a surface to attach notes, plans, and other sketches. Panels attaches easily to the POD exterior and softens the surrounding sound environment.



ACCESSIBILITY SET

Wheelchair ramp.
Reservation for automatic door.
Automatic door closer.
Hydraulic door closer.
Kick-plates for the door and/or walls.
Vertical and/or horizontal bar handles.



FURNITURE SET

Furnish the POD room with INTO sofas and tables.
For example:
2 x POINT LOW M 700 mm
TOP S 400 x 600 x H680-1080 mm



OTHER AVAILABLE ADD-ON FEATURES

Air cooling device
Clothing hook
Electronical lock system
Booking system
Smart glass
USB charger
Extra power sockets
AV systems (web camera, microphone)



All our materials comply with M1 emission classification.

SURFACE FINISHES FOR POD ROOMS

STANDARD PRICE, CATEGORY 1

Melamine color options



White



Dark grey

PRICE CATEGORY 2

Veneer material options



Pine



American oak



Black oak



SURFACE FINISHES FOR DOOR & DOOR SIDE PANELS

STANDARD PRICE, CATEGORY 1



White

PRICE CATEGORY 2



Clear glass 10 mm

comes with white door panels

PRICE CATEGORY 3



American oak

CARPETS FOR POD ROOMS: EX-DONO QUARTET FROM FLETCO | STANDARD PRICE, CATEGORY 1

Composition: Polyester non woven
 Static electrical propensity: Antistatic
 Impact sound reduction: 25 dB
 Classification for use: Commercial / heavy use
 Fire resistant: Yes



393300 393340 393350 393120 393260 393450 393550 393660 393750 393850

Ask for more colors: sales@intoconcept.com

CEILING ACOUSTIC PANEL FABRIC: SOUL FROM GABRIEL | STANDARD PRICE, CATEGORY 1

Composition: 100% wool
 Lightfastness: 5-7
 Rubbing fastness: 4/wet, 4-5/dry
 Sustainability: Complies with STANDARD 100 by OEKO-TEX
 Meet Möbelfakta requirements
 Cleaning: regular vacuum cleaning
 Fire resistant: Yes (S 476 Part 7, class 1 ÖNORM B 3825-B1-3800-Q1 UK)



66104 67039 68131 64086 62059 61196 60182 68128 61199 60099

Ask for more colors: sales@intoconcept.com