

POD PHONE SMALL

POD PHONE SMALL is a telephone booth that improves privacy when taking phone calls in open spaces and office environments.




TECHNICAL INFORMATION

AIR FLOW	Fully automated ventilation controlled by motion sensor that is adjustable up to 99 minutes. Airflow rate of 22 l/s when occupied.
LIGHTING	Fully automated lights controlled by motion sensor that is adjustable up to 99 minutes. LED light set on the ceiling. Lumen 871.
WHEELS	Installation wheels included.
ENERGY CONSUMPTION	Total capacity 18,95 W. Fans capacity 4,45 W. Lights capacity 14,5 W. Max load 8 A.
SOCKET	One electrical power socket on the table.
POWER CONNECTION	Electricity connection from the ceiling or floor. The length of the power cord is 3 m.

MEASUREMENTS

EXTERNAL DIMENSIONS	W1000 x D1200 x H2220 mm
INNER DIMENSIONS	W800 x D800 x H2040 mm
DOOR	8 x 21
PACKAGE DIMENSIONS	W800 x D2400 x H1500 mm
WEIGHT	400 kg 333 kg/m ²

MEASUREMENTS



MATERIAL DESCRIPTION

EXTERIOR	Melamine or veneered frame.
INTERIOR	Acoustic panel on the ceiling. Walls x 2 and floor coated with carpet.
DOOR	Painted MDF door. Melamine door side panels. Door handle with satin finished stainless steel.
WINDOW	Laminated acoustic safety glass window 10 mm. Glass window includes the INTO stripe window taping.
TABLE	Fixed MDF table with water-based paint.

ADD-ON FEATURES

POD PANEL

POD PANEL is an acoustic-friendly add-on piece for POD rooms. It can be used as a surface to attach notes, plans, and other sketches. Panels attaches easily to the POD exterior and softens the surrounding sound environment.



OTHER AVAILABLE ADD-ON FEATURES

- Height adjustable stool
- Clothing hook
- Electronical lock system
- Booking system
- Smart glass
- Screen holder
- USB charger
- Extra power sockets
- AV systems (web camera, microphone)






All our materials comply with M1 emission classification.

SURFACE FINISHES FOR POD ROOMS

STANDARD PRICE, CATEGORY 1

Melamine color options



White



Dark grey

PRICE CATEGORY 2

Veneer material options



Pine



American oak




Black oak



SURFACE FINISHES FOR DOOR & DOOR SIDE PANELS

STANDARD PRICE, CATEGORY 1



White

PRICE CATEGORY 2



Clear glass 10 mm

comes with white door panels

PRICE CATEGORY 3



American oak

CARPETS FOR POD ROOMS: EX-DONO QUARTET FROM FLETCO | STANDARD PRICE, CATEGORY 1

Composition: Polyester non woven
 Static electrical propensity: Antistatic
 Impact sound reduction: 25 dB
 Classification for use: Commercial / heavy use
 Fire resistant: Yes



393300 393340 393350 393120 393260 393450 393550 393660 393750 393850

Ask for more colors: sales@intoconcept.com

CEILING ACOUSTIC PANEL FABRIC: SOUL FROM GABRIEL | STANDARD PRICE, CATEGORY 1

Composition: 100% wool
 Lightfastness: 5-7
 Rubbing fastness: 4/wet, 4-5/dry
 Sustainability: Complies with STANDARD 100 by OEKO-TEX
 Meet Möbelfakta requirements
 Cleaning: regular vacuum cleaning
 Fire resistant: Yes (S 476 Part 7, class 1 ÖNORM B 3825-B1-3800-Q1 UK)



66104 67039 68131 64086 62059 61196 60182 68128 61199 60099

Ask for more colors: sales@intoconcept.com