

POD 4

POD 4 meeting rooms are suitable for 4-8 people and perfect for private or confidential meetings as well as adaptable work spaces.




TECHNICAL INFORMATION

AIR FLOW	Fully automated ventilation controlled by motion sensor that is adjustable up to 99 minutes. Switch for ventilation. Airflow rate of 88 l/s when occupied.
LIGHTING	Fully automated lights controlled by motion sensor that is adjustable up to 99 minutes. Switch for lights. 4 x LED light set on the ceiling. 1 window lamp. Lumen 3484.
WHEELS	Installation wheels included.
ENERGY CONSUMPTION	Total capacity 82,8 W. Fans capacity 17,8 W. Lights capacity 65 W. Max load 8 A.
SOCKET	4 x power sockets + 2 x data outlets included.
POWER CONNECTION	POD electricity connection from the ceiling or floor. The length of the power cord is 3 m.

MEASUREMENTS

EXTERNAL DIMENSIONS	W3400 x D2500 x H2220 mm
DOOR	9 x 21
INNER DIMENSIONS	W3200 x D2100 x H2040 mm
PACKAGE DIMENSIONS	2 x pallet: W1200 x D2520 x H1500 and W1200 x D2400 x H1500
WEIGHT	1450 kg 171 kg/m ²

MEASUREMENTS



MATERIAL DESCRIPTION

EXTERIOR

Melamine or veneered frame.

INTERIOR

Acoustic panels on the ceiling.
Back wall and floor coated with carpet.

DOOR

Painted MDF door. Melamine door side panels.
Door handle with satin finished stainless steel.

WINDOW

Laminated acoustic safety glass window 10 mm.
Glass window includes the INTO stripe window taping.



ADD-ON FEATURES

DISPLAY BOX

DISPLAY BOX is a screen stand for the POD meeting rooms that hides the cables and the remote control. Suitable for a maximum 42" screen.



POD PANEL

POD PANEL is an acoustic-friendly add-on piece for POD rooms. It can be used as a surface to attach notes, plans, and other sketches. Panels attaches easily to the POD exterior and softens the surrounding sound environment.



ACCESSIBILITY SET

Wheelchair ramp.
Reservation for automatic door.
Automatic door closer.
Hydraulic door closer.
Kick-plates for the door and/or walls.
Vertical and/or horizontal bar handles.



FURNITURE SET

Furnish the POD room with INTO sofas and tables.
For example;
4 x POINT LOW M 700 mm
1 x POINT LOW CORNER
2 x TOP CURVE L H720 mm
1 x DISPLAY BOX



OTHER ADD-ON FEATURES

Air cooling device
Clothing hook
Electronical lock system
Booking system
Smart glass
USB charger
Extra power sockets
AV systems (web camera, microphone)
Automatic fire extinguisher system




All our materials comply with M1 emission classification.

SURFACE FINISHES FOR POD ROOMS

STANDARD PRICE, CATEGORY 1

Melamine color options



White




Dark grey

PRICE CATEGORY 2

Veneer material options



Pine



American oak



Black oak



SURFACE FINISHES FOR DOOR & DOOR SIDE PANELS

STANDARD PRICE, CATEGORY 1



White

PRICE CATEGORY 2



Clear glass 10 mm

comes with white door panels

PRICE CATEGORY 3



American oak

CARPETS FOR POD ROOMS: EX-DONO QUARTET FROM FLETCO | STANDARD PRICE, CATEGORY 1

Composition: Polyester non woven
Static electrical propensity: Antistatic
Impact sound reduction: 25 dB
Classification for use: Commercial / heavy use
Fire resistant: Yes



393300



393340



393350



393120




393260



393450




393550



393660



393750




393850

Ask for more colors: sales@intoconcept.com

CEILING ACOUSTIC PANEL FABRIC: SOUL FROM GABRIEL | STANDARD PRICE, CATEGORY 1

Composition: 100% wool
Lightfastness: 5-7
Rubbing fastness: 4/wet, 4-5/dry
Sustainability: Complies with STANDARD 100 by OEKO-TEX
Meet Möbelfakta requirements
Cleaning: regular vacuum cleaning
Fire resistant: Yes (S 476 Part 7, class 1 ÖNORM B 3825-B1-3800-Q1 UK)



66104



67039



68131




64086



62059




61196




60182



68128



61199



60099

Ask for more colors: sales@intoconcept.com