

POD 3

POD 3 is a versatile workspace ideal for 1-3 people, offering a compact setting for focused work or easily transforming into a small meeting room for collaborative meetings.




TECHNICAL INFORMATION

AIR FLOW	Fully automated ventilation controlled by motion sensor that is adjustable up to 99 minutes. Switch for ventilation. Airflow rate of 44 l/s when occupied.
LIGHTING	Fully automated lights controlled by motion sensor that is adjustable up to 99 minutes. Switch for lights. 4 x LED light set on the ceiling. A window lamp. Lumen 3484.
WHEELS	Installation wheels included.
ENERGY CONSUMPTION	Total capacity 73,9 W. Fans capacity 8,9 W. Lights capacity 65 W. Max load 8 A.
SOCKET	3 x power sockets + 2 x data outlets included.
POWER CONNECTION	POD electricity connection from the ceiling or floor. The length of the power cord is 3 m.

MEASUREMENTS

EXTERNAL DIMENSIONS	W1700 x D3400 x H2220 mm
DOOR	9 x 21
INNER DIMENSIONS	W1500 x D3000 x H2040 mm
PACKAGE DIMENSIONS	2 x pallet: W1200 x D2500 x H1400 mm and W1200 x D2500x H1400 mm
WEIGHT	1150 kg 198 kg/m ²

MEASUREMENTS



MATERIAL DESCRIPTION

EXTERIOR	Melamine or veneered frame.
INTERIOR	Acoustic panel on the ceiling. One wall and floor coated with carpet.
DOOR	Painted MDF door. Melamine door side panels. Door handle with satin finished stainless steel.
WINDOW	Laminated acoustic safety glass window 10 mm. Glass window includes the INTO stripe window taping.



ADD-ON FEATURES

DISPLAY BOX

DISPLAY BOX is a screen stand for the POD meeting rooms that hides the cables and the remote control. Suitable for a maximum 42" screen.



POD PANEL

POD PANEL is an acoustic-friendly add-on piece for POD rooms. It can be used as a surface to attach notes, plans, and other sketches. Panels attaches easily to the POD exterior and softens the surrounding sound environment.



ACCESSIBILITY SET

- Wheelchair ramp.
- Reservation for automatic door.
- Automatic door closer.
- Hydraulic door closer.
- Kick-plates for the door and/or walls.
- Vertical and/or horizontal bar handles.



FURNITURE SET

Furnish the POD room with INTO tables and height-adjustable stools.
For example:
2 x TOP WORK 1000 x 500 x H680-1080 mm
2 x height adjustable balancing stool



OTHER AVAILABLE ADD-ON FEATURES

- Air cooling device
- Clothing hook
- Electronical lock system
- Booking system
- Smart glass
- USB charger
- Extra power sockets
- AV systems (web camera, microphone)
- Automatic fire extinguisher system




All our materials comply with M1 emission classification.

SURFACE FINISHES FOR POD ROOMS

STANDARD PRICE, CATEGORY 1

Melamine color options



White



Dark grey

PRICE CATEGORY 2


Veneer material options



Pine



American oak



Black oak



SURFACE FINISHES FOR DOOR & DOOR SIDE PANELS

STANDARD PRICE, CATEGORY 1



White

PRICE CATEGORY 2



Clear glass 10 mm

comes with white door panels

PRICE CATEGORY 3



American oak

CARPETS FOR POD ROOMS: EX-DONO QUARTET FROM FLETCO | STANDARD PRICE, CATEGORY 1

Composition: Polyester non woven
 Static electrical propensity: Antistatic
 Impact sound reduction: 25 dB
 Classification for use: Commercial / heavy use
 Fire resistant: Yes



393300 393340 393350 393120 393260 393450 393550 393660 393750 393850

Ask for more colors: sales@intoconcept.com

CEILING ACOUSTIC PANEL FABRIC: SOUL FROM GABRIEL | STANDARD PRICE, CATEGORY 1

Composition: 100% wool
 Lightfastness: 5-7
 Rubbing fastness: 4/wet, 4-5/dry
 Sustainability: Complies with STANDARD 100 by OEKO-TEX
 Meet Möbelfakta requirements
 Cleaning: regular vacuum cleaning
 Fire resistant: Yes (S 476 Part 7, class 1 ÖNORM B 3825-B1-3800-Q1 UK)



66104 67039 68131 64086 62059 61196 60182 68128 61199 60099

Ask for more colors: sales@intoconcept.com